Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	49539	control\$4 adj access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 07:59
L2	1043	1 same access adj right	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:17
L3	49	1 same (access adj right) same retriev\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:00
L4	49	3 and (access adj right) same retriev\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:00
L5	9	4 and attribute adj2 (object or document or file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:20
L6	6	5 and access adj control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:07
L7	3	6 and access adj list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:11
L8	1	3 and (access adj list) with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:11
L9	7	2 and (access adj list) with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:14

L10	5	9 and ("707"/\$.ccls. or "713"/\$. ccls. or "717"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:14
L11	70832	("707"/\$.ccls. or "713"/\$.ccls. or "717"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:17
L12	1	11 and ((access adj list) adj9 table) same retriev\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:15
L13	4	((access adj list) adj9 table) same retriev\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:17
L14	60788	("707"/\$.ccls. or "713"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:21
L15	1	14 and ((access adj list) adj9 table) same retriev\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:17
L16	28	14 and ((access adj list) adj9 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:17
L17	13	16 and access adj right	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2006/06/20 08:19
L18	12160	access adj right	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:30
L19	3484	access adj list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:19

L20	67768	access adj control	US-PGPUB;	OR	ON	2006/06/20 08:26
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
L21	49539	control\$4 adj access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:19
L22	582	18 and attribute adj2 (document or file or item or title or (creation adj date))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:21
L23	141	19 and attribute adj2 (document or file or item or title or (creation adj date))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:21
L24	1148	20 and attribute adj2 (document or file or item or title or (creation adj date))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:21
L25	917	21 and attribute adj2 (document or file or item or title or (creation adj date))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:29
L26	293	22 and ("707"/\$.ccls. or "713"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:22
L27	56	23 and ("707"/\$.ccls. or "713"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:43
L28	519	24 and ("707"/\$.ccls. or "713"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:22
L29	386	25 and ("707"/\$.ccls. or "713"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:22

L30	16	27 and access adj control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:30
L31	0	30 and attribute same ((document or file or item or title) with (creation adj date))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:29
L32	320	attribute same ((document or file or item or title) with (creation adj date))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:36
L33	154	32 and ("707"/\$.ccls. or "713"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:29
L34	32	33 and access adj control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:30
L35	6	34 and access adj right	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:35
L36	12160	access adj right	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:35
L37	4318	36 and access adj control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:38
L38	2255	37 and control\$4 adj access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:36
L39	0	38 and retriev\$6 same attribute same ((document or file or item or title) with (creation adj date))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:36

L40	7	38 and retriev\$6 and attribute same ((document or file or item or title) with (creation adj date))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:50
L41	48	retriev\$6 same attribute same ((document or file or item or title) with (creation adj date))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:38
L42	0	41 and (access adj right) same ((access adj control\$4) or (controlling adj access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:39
L43	3	41 and (access adj right) and ((access adj control\$4) or (controlling adj access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:40
L44	1586	(access adj right) same ((access adj control\$4) or (controlling adj access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:39
L45	146	(access adj right) same ((access adj control\$4) and (controlling adj access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/06/20 08:40
L46	73	(access adj right) same ((access adj control\$4) same (controlling adj access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:42
L47	73	23 and ("707"/\$.ccls. or "713"/\$. ccls. or "717"/\$.ccls. or "715"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:43
L48	31	46 and ("707"/\$.ccls. or "713"/\$. ccls. or "717"/\$.ccls. or "715"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:43
L49	0	48 and retriev\$6 and (attribute same ((document or file or item or title) with (creation adj date)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 08:50

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
Li	19	("5926824" or "20020120858" or "20010042075" or "6289460" or "6308181" or "6839843" or "5926824" or "6236996" or "20020002563" or "20020059236").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 14:56
L2	1	1 and retrieval adj condition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 14:57
L3	1	2 and attribute	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 15:09
L4		3 and access adj right	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 15:22
L5	0	3 and access\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 14:57
L6	0	3 and access\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 14:58
L7	18	1 and access\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 14:58
L8	9	1 and access\$6 adj (control and right)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 14:58
L9	Ö	8 and (retriev\$6 or extract\$4) with tattribute	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 14:59

		LASI Searc		,		
L10	2	8 and (retriev\$6 or extract\$4) with attribute	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 15:14
L11	5	8 and identifier adj4 (object or document or file or (data adj item) or item)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 15:02
L12	1	11 and identifier with (access adj right)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 15:04
L13	0	1 and (identifier near3 (object or document or file or item or (data adj item))) with (access adj right)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 15:05
L14	1	1 and (identifier near3 (object or document or file or item or (data adj item))) same (access adj right)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 15:06
L15	4	1 and (identifier near3 (object or document or file or item or (data adj item))) and (access adj right)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 15:06
L16	1	15 and (retriev\$6 or condition) and match\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 15:07
L17	2	15 and access\$5 with match\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 15:08
L18	4	1 and access\$5 with match\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 15:08
L19	12	1 and access adj2 (right or control\$4 or list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 15:12

L20	4	19 and attribute and identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 15:12
L21	4	19 and (attribute and identifier) near5 (object or document or file or item or (data adj item))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 15:14
L22	3	21 and (retriev\$6 or extract\$4) and access and perform\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 15:15
L23	3	22 and identifier and identif\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 15:18
L24	3	23 and (date or timestamp\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 15:19
L25	18	1 and (stored or document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 15:21
L26	13	1 and stored same (database or (data adj base) or document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 15:21
L27	9	1 and access adj right	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 15:25
L28	8	27 and (permission or permit\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 15:25